




HIV AMONG MEN IN MARYLAND, 2012

OCTOBER 2014

New HIV Diagnoses

- **Men** made up **73.1% (1,071)** of the **1,466** reported adult/adolescent HIV diagnoses (age 13+) in Maryland in **2012**.
- The proportion of HIV diagnoses in Maryland has **decreased** in men from **85.1% in 1985** to **73.1% in 2012**.
- **53.1%** of the **1,072** reported HIV diagnoses among men (age 13+) in 2012 were among non-Hispanic (NH) blacks, **10.9%** NH white, **5.3%** Hispanic, and **3.4%** other races.
- Most HIV diagnoses in men in 2012 were among **Men who have Sex with Men (MSM) (70.7%)**.



Characteristics of Men Living with HIV

Exposure Category


- **48.3% MSM**
- 27.9% IDU
- 18.3% HET
- 5.2% MSM/IDU
- 0.6% OTHER




Race/Ethnicity

- **72.8% NH Black**
- 17.7% NH White
- 5.5% Hispanic

- Of the **29,553** total living HIV cases reported in Maryland, **64.4% (19,024)** of those were among men. Adult/adolescent total living case rates (per 100,000) were **twice** as high in men (806.0) as compared to women (410.7). In other words, **1 in 124 men** (age 13+) were reported to be living with HIV in Maryland.



- Total living HIV case rates in Maryland males (all ages) were **4 to 8 times higher** among NH blacks (**1,760.7 cases per 100,000**) as compared to Hispanics (**392.9**), non-Hispanic whites (**218.7**), and other races (**330.1**). In other words, **1 in every 56 NH black males** in Maryland was reported to be living with HIV.
- Total living HIV case rates in Maryland men were **highest among men in their 50's** (1,464.1 cases per 100,000 on 12/31/2012).



MSM: Men who have Sex with Men, HET: Heterosexual
IDU: Injection Drug User